

ՏԵԽՆԻԿԱԿԱՆ ՏՆՈՒՄ

ՄԱՍ

Մատերիալ	Պոլիպրոպիլեն (PP)
Մակերես	Մաշկ
Մեծություն	100 մմ
Մեծություն	Պոլիպրոպիլեն
Մեծություն	20x4.5x4cm
Մեծություն	42g
Մեծություն	Պոլիպրոպիլեն
Մեծություն	Պոլիպրոպիլեն
Մեծություն	-40°C + 230°C
Մեծություն	1-3 օր
MOQ	100 մ
Մեծություն	PayPal / LC / T / Western Union

ՄԱՍ

1. 100 մ
2. BPA ընդհանուր FDA ընդհանուր
3. Կապույտ / Կարմիր / Կապույտ
4. Կապույտ / Կարմիր / Կապույտ
5. Կապույտ / Կարմիր / Կապույտ
6. Կապույտ / Կարմիր -40°C 230°C
7. Կապույտ / Կարմիր / Կապույտ

ՄԱՍ







FDA
APPROVED



SGS



FDA LFGB



Test Report

No. CANEC1701434601

Date: 10 Feb 2017

Page 1 of 6

DONGGUAN NEW ORIENTAL TECHNOLOGY CO., LTD.
NORTH GATE LANE LONGHE INDUSTRIAL PARK TIANXIN VILLAGE HUANGJIANG TOWN DONGGUAN
CITY
CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as : Silicone rubber

SGS Job No. : CP17-003378 - SZ
Model No. : ZY-450
Client Ref. Info. : ZY-450 (405/410/420/430/440/460/470/480/490)
ZY-5551(5511/5521/5531/5541/5561/5571/5581/5591)
ZY-4451 (4411/4421/4431/4441/4451/4461/4471/4481/4491)
ZY-4452 (4412/4422/4432/4442/4462/4472/4482/4492)
ZY-LSR-6340(6320/6330/6350/6360/6370)
ZY-LSR-6940(6920/6930/6950/6960/6970)
ZY-LSR-7030 (7020/7040/7050/7060)
ZY-LSR-6 series(6050/6070/6040/6030/6020/6010)

Date of Sample Received : 23 Jan 2017
Testing Period : 23 Jan 2017 - 06 Feb 2017
Test Requested : Selected test(s) as requested by client.
Test Method : Please refer to next page(s).
Test Results : Please refer to next page(s).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/sgs/terms-and-conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/terms-and-conditions/terms-and-conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention, only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from examining all their rights and obligations under the transaction documents. This document cannot be reproduced, copied in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document to unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing, inspection report & certificate, please contact us at telephone: 86-751-83071442, or email: CN.China@sgs.com

SGS (China) Inspection & Testing Services Co., Ltd. 中国合格评定国家认可委员会
Dongguan Branch: Dongguan City, Guangdong Province, China
中国·广州·经济技术开发区科学城科学城路188号 邮编: 510660 | 86-20-82155555 | 86-20-82037513 www.sgs.com.cn
中国·广州·经济技术开发区科学城科学城路188号 邮编: 510660 | 86-20-82155555 | 86-20-82037513 | sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Test Report

No. CANEC1703424301

Date: 20 Mar 2017

Page 1 of 3

GUANGZHOU RUI-HE SILICONE SCIENTIFIC TECHNOLOGY CO.,LTD.
168,FENGSHEN ROAD, XIUQUAN STREET,HUADU DISTRICT,GUANGZHOU CITY,GUANGDONG PROVINCE CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as : Silicone Rubber

SGS Job No. : CP17-010040 - GZ
Model No. : 5011
Client Ref. Info. : SEE REMARK
Date of Sample Received : 08 Mar 2017
Testing Period : 08 Mar 2017 - 14 Mar 2017
Test Requested : Selected test(s) as requested by client.
Test Method : Please refer to next page(s).
Test Results : Please refer to next page(s).

Result Summary :

Table with 2 columns: Test Requested, Conclusion. Row 1: FDA 21 CFR 177.2600-Total extractive residues, PASS

Conclusion : The tested parameters comply with the requirement stated in Food and Drug Administration Regulations.

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Signature of Alpher Qiu
Alpher Qiu
Approved Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf... Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein...

Member of the SGS Group (SGS SA)



Table with 2 columns: Description, Details. Row 1: 1, 2, 3. Row 2: 1 DHL, 2, 3. Row 3: 5, 20



Benhaida &

6
EU Kitchen + Home Domestic Corner Rox Home-
complete

Benhaida &

86-13923497359 Whats + 0086-13923497359

QQ 844645284 bhdmiya@outlook.com

sales5@benhaida.com