

PP 2000 20 20000 20 2 20 20

PP 20 :

PP	PP 20 20000 20 2 20
PP	PP 20
PP	PP
PP	-40 °C -230 °C
PP	12.5cm
PP 20	6.3cm
PP	21.7cm
MOQ	50 PP
PP 20	PP, T / T, PP PP, PP 20

PP 20 :

1. PP 20 : -40 °C ~ 230 °C. PP, PP PP, PP, PP, PP PP PP PP PP PP.
2. Food PP PP PP, PP PP, PP, PP.
3. BPA PP PP FDA PP. PP.
4. Easy PP PP PP, PP PP, PP, eco-friendly.
5. 2 PP PP PP PP PP PP.
6. Packing : 1pc / PP

PP 20 PP :

PP	1) PP : PP PP 2) PP : PP 3) PP PP PP PP PP PP
PP 20	1) PP, DHL, UPS, PP PP 2) PP. PP PP PP PP PP PP. PP PP PP PP PP PP PP, PP PP PP PP PP PP PP PP PP. 3) PP
PP	PP
PP 20	PP-comfirm PP PP 20 PP (PP PP)

PP 20 :

FDA
APPROVED



FDA
APPROVED



SGS





SGS



FDA
APPROVED



SGS



FDA
APPROVED



SGS







□□ □□ □□ :



bndsilicone.en.alibaba.com



□□ □□ :

□□ Behaida □□ & □□□□ □□ □□□□ □□□ □ □□□□ □□□ □□□ 7 □ □□□ □□. □□□ □□□□□ □□□ □□ □□□ □□□□ □□ □□□ □□□ □□. □□□ EU □□ □□□ □□□ □□□ □□□ □□□.

